SEQUENCE RECORD

- (1) GENERAL INDICATIONS:
 - (i) APPLICANT:
 - (A) NAME: Deutsches Krebsforschungszentrum
 - (B) STREET: Im Neuenheimer Feld 280
 - (C) TOWN: Heidelberg
 - (E) COUNTRY: Germany
 - (F) POSTAL CODE: 69120
 - (ii) TITLE OF THE INVENTION: Multivalent Antibody Constructs
 - (iii) NUMBER OF SEQUENCES: 17
 - (iv) COMPUTER-READABLE VERSION:
 - (A) DATA CARRIER: floppy disk
 - (B) COMPUTER: IBM PC compatible
 - (C) OPERATING SYSTEM: PC-DOS/MS-DOS
 - (D) SOFTWARE: PatentIn Release #1.0, version #1.30 (EPA)
- (2) INDICATIONS AS TO SEQ ID NO: 1:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 1698 base pairs
 - (B) KIND: nucleotide
 - (C) STRAND TYPE: single strand
 - (D) TOPOLOGY: linear
 - (ii) KIND OF MOLECULE: genome DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTISENSE: no
 - (ix) FEATURE:
 - (A) NAME/KEY: CDS
 - (B) POSITION: 28..1689
 - (ix) FEATURE:
 - (A) NAME/KEY: mat peptide
 - (B) POSITION: 28..1689
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 1:

| GCC Ala | GCT Ala 10 | GGC Gly | TTG Leu | CTG Leu | CTG Leu | CTG Leu 15 | GCA Ala | GCT Ala | CAG Gln | CCG Pro | GCC Ala 20 | ATG Met | GCG Ala | CAG Gln | GTG Val | 99 |
|-------------------|------------------|------------|------------|------------------|-------------------|------------------|------------|------------|------------------|-------------------|------------------|------------|-------------------|------------------|-------------------|-----|
| CAA Gln 25 | CTG Leu | CAG Gln | CAG Gln | TCT Ser | GGG Gly 30 | GCT Ala | GAA Glu | CTG Leu | GCA Ala | AGA Arg 35 | CCT Pro | GGG Gly | GCC Ala | TCA Ser | GTG Val 40 | 147 |
| AAG Lys | ATG Met | TCC Ser | TGC Cys | AAG Lys 45 | GCT Ala | TCT Ser | GGC Gly | TAC Tyr | ACC Thr 50 | TTT Phe | ACT Thr | AGG Arg | TAC Tyr | ACG Thr 55 | ATG Met- | 195 |
| | | | | | | | | | | | | | ATT Ile 70 | | | 243 |
| | | | | | | | | | | | | | TTC Phe | | | 291 |
| | | | | | | | | | | | | | TAC Tyr | | | 339 |
| CTG Leu 105 | AGC Ser | AGC Ser | CTG Leu | ACA Thr | TCT Ser 110 | GAG Glu | GAC Asp | TCT Ser | GCA Ala | GTC Val 115 | TAT Tyr | TAC Tyr | TGT Cys | GCA Ala | AGA Arg 120 | 387 |
| | | | | | | | | | | | | | GGC Gly | | | 435 |
| | | | | | | | | | | | | | GGT Gly 150 | | | 483 |
| | | | | | | | | | | | | | GGG Gly | | | 531 |
| | | | | | | | | | | | | | GAT Asp | | | 579 |
| | | | | | | | | | | | | | CCC Pro | | | 627 |
| | | | | | | | | | | | | | CCC Pro | | | 675 |
| | | | | | | | | | | | | | CAT His 230 | | | 723 |

| | | | | | GCA Ala | | | | | | | | | | | 77: |
|------------|-------------------|-------------------|------------|-------------------|-------------------|-------------------|-------------------|------------|-------------------|------------|-------------------|-------------------|------------|-------------------|------------|------|
| | | | | | GGA Gly | | | | | | | | | | | 819 |
| | | | | | GGT Gly 270 | | | | | | | | | | | 86 |
| | | | | | GGT Gly | | | | | | | | | | | 91 |
| | | | | | CCT Pro | | | | | | | | | | | 963 |
| | | | - | | AGT Ser | | | | | | | | | | | 1013 |
| CCT Pro | GGA Gly 330 | CAG Gln | GGT Gly | CTT Leu | GAG Glu | TGG Trp 335 | ATT Ile | GGA Gly | CAG Gln | ATT Ile | TGG Trp 340 | CCT Pro | GGA Gly | GAT Asp | GGT Gly | 1059 |
| | | | | | GGA Gly 350 | | | | | | | | | | | 1107 |
| | | | | | ACA Thr | | | | | | | | | | | 1155 |
| | | | | | TAT Tyr | | | | | | | | | | | 1203 |
| GGC Gly | CGT Arg | тат Туг 395 | TAC Tyr | TAT Tyr | GCT Ala | ATG Met | GAC Asp 400 | TAC Tyr | TGG Trp | GGT Gly | CAA Gln | GGA Gly 405 | ACC Thr | TCA Ser | GTC Val | 1253 |
| ACC Thr | GTC Val 410 | TCC Ser | TCA Ser | GCC Ala | AAA Lys | ACA Thr 415 | ACA Thr | CCC Pro | AAG Lys | CTT Leu | GGC Gly 420 | GGT Gly | GAT Asp | ATC Ile | GTG Val | 1299 |
| | | | | | GCA Ala 430 | | | | | | | | | | | 134 |
| ACC Thr | ATG Met | ACC Thr | TGC Cys | AGT Ser 445 | GCC Ala | AGC Ser | TCA Ser | AGT Ser | GTA Val 450 | AGT Ser | TAC Tyr | ATG Met | AAC Asn | TGG Trp 455 | TAC Tyr | 1399 |

| CAG Gln | | | | | | | | | | 1443 |
|-----------------------|------|------|----|--|--|--|---|-------|-----------------|------|
| CTG Leu | | | | | | | | | | 1491 |
| TCT Ser 490 | | | | | | | | _ | GCC Ala. | 1539 |
| TAT Tyr | | | | | | | _ | _ | | 1587 |
| ACA Thr | | | | | | | | | | 1635 |
| CAA Gln | | | | | | | | | | 1683 |
| CAC His | TAAT | CTAC | GA | | | | | | | 1698 |
| | | | | | | | | | | |

- (2) INDICATIONS AS TO ID NO: 2:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 554 amino acids
 - (B) KIND: amino acid
 - (D) TOPOLOGY: linear
 - (ii) KIND OF MOLECULE: protein
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 2:

Met Lys Tyr Leu Leu Pro Thr Ala Ala Gly Leu Leu Leu Ala 1 5 10 15

Ala Gln Pro Ala Met Ala Gln Val Gln Leu Gln Gln Ser Gly Ala Glu 20 25 30

Leu Ala Arg Pro Gly Ala Ser Val Lys Met Ser Cys Lys Ala Ser Gly 35 40 45

Tyr Thr Phe Thr Arg Tyr Thr Met His Trp Val Lys Gln Arg Pro Gly 50 55 60

Gln Gly Leu Glu Trp Ile Gly Tyr Ile Asn Pro Ser Arg Gly Tyr Thr 65 70 75 80

Asn Tyr Asn Gln Lys Phe Lys Asp Lys Ala Thr Leu Thr Thr Asp Lys Ser Ser Ser Thr Ala Tyr Met Gln Leu Ser Ser Leu Thr Ser Glu Asp Ser Ala Val Tyr Tyr Cys Ala Arg Tyr Tyr Asp Asp His Tyr Ser Leu Asp Tyr Trp Gly Gln Gly Thr Thr Leu Thr Val Ser Ser Ala Lys Thr 135 140 Thr Pro Lys Leu Gly Gly Asp Ile Leu Leu Thr Gln Thr Pro Ala Ser Leu Ala Val Ser Leu Gly Gln Arg Ala Thr Ile Ser Cys Lys Ala Ser 170 Gln Ser Val Asp Tyr Asp Gly Asp Ser Tyr Leu Asn Trp Tyr Gln Gln 185 Ile Pro Gly Gln Pro Pro Lys Leu Leu Ile Tyr Asp Ala Ser Asn Leu Val Ser Gly Ile Pro Pro Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp 220 Phe Thr Leu Asn Ile His Pro Val Glu Lys Val Asp Ala Ala Thr Tyr His Cys Gln Gln Ser Thr Glu Asp Pro Trp Thr Phe Gly Gly Thr Lys Leu Glu Ile Lys Arg Ala Asp Ala Ala Ala Gly Gly Gly Ser Gly Gly Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Ser Gln Val Gln Leu Gln Gln Ser Gly Ala Glu Leu Val Arg Pro Gly Ser 295 Ser Val Lys Ile Ser Cys Lys Ala Ser Gly Tyr Ala Phe Ser Ser Tyr Trp Met Asn Trp Val Lys Gln Arg Pro Gly Gln Gly Leu Glu Trp Ile Gly Gln Ile Trp Pro Gly Asp Gly Asp Thr Asn Tyr Asn Gly Lys Phe 345 Lys Gly Lys Ala Thr Leu Thr Ala Asp Glu Ser Ser Ser Thr Ala Tyr

Met Gln Leu Ser Ser Leu Ala Ser Glu Asp Ser Ala Val Tyr Phe Cys 375 Ala Arg Arg Glu Thr Thr Thr Val Gly Arg Tyr Tyr Tyr Ala Met Asp 385 390 395 390 Tyr Trp Gly Gln Gly Thr Ser Val Thr Val Ser Ser Ala Lys Thr Thr Pro Lys Leu Gly Gly Asp Ile Val Leu Thr Gln Ser Pro Ala Ile Met Ser Ala Ser Pro Gly Glu Lys Val Thr Met Thr Cys Ser Ala Ser Ser Ser Val Ser Tyr Met Asn Trp Tyr Gln Gln Lys Ser Gly Thr Ser Pro Lys Arg Trp Ile Tyr Asp Thr Ser Lys Leu Ala Ser Gly Val Pro Ala His Phe Arg Gly Ser Gly Ser Gly Thr Ser Tyr Ser Leu Thr Ile Ser Gly Met Glu Ala Glu Asp Ala Ala Thr Tyr Tyr Cys Gln Gln Trp Ser Ser Asn Pro Phe Thr Phe Gly Ser Gly Thr Lys Leu Glu Ile Asn Arg Ala Asp Thr Ala Pro Thr Gly Ser Glu Gln Lys Leu Ile Ser Glu Glu 535 Asp Leu Asn Ser His His His His His 550

- (2) INDICATIONS AS TO ID NO: 3:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 1653 base pairs
 - (B) KIND: nucleotide
 - (C) STRAND TYPE: single strand
 - (D) TOPOLOGY: linear
 - (ii) KIND OF MOLECULE: genome DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTISENSE: no
 - (ix) FEATURE:
 - (A) NAME/KEY: CDS
 - (B) POSITION: 28..1644

| | (ix) | (A (B |) } | NAME POSI | TION | : ma | 31 | 644 | | | | | | |
|-----|------|----------|------|--------------|------|------|------|-----|------|-----|----|----------------------|------|------|
| | (xi) | SE | QUEN | ICE I | DESC | RIPT | ION: | SE | Q ID | NO: | 3: | | | |
| GAA | TTCA | TTA | AAGA | GGAG. | AA A | TŢĄĄ | | | | | | CT A | | 51 |
| | | | | | | | | | | | | GCG Ala | | . 99 |
| | Leu | | | | | | | | | | | GCC Ala | | 147 |
| | | | | | | | | | | | | TAC Tyr | | 195 |
| - | | | | | | | | | | | _ | ATT Ile 70 | | 243 |
| | | | | | | | | | | | | TTC Phe | | 291 |
| | | | | | | | | | | | | TAC Tyr | | 339 |
| | | | | | | | | | | | | TGT Cys | | 387 |
| | | | | | | | | | | | | GGC Gly | | 435 |
| | | | | | | | | | | | | GGT Gly 150 | | 483 |
| | | | | | | | | | | | | GGG Gly | | 531 |
| | | | | | | | | | | | | GAT Asp | | 579 |

| AGT Ser | TAT Tyr | TTG Leu | AAC Asn | TGG Trp | TAC Tyr | CAA Gln | CAG Gln | ATT Ile | CCA Pro | GGA Gly | CAG Gln | CCA Pro | CCC Pro | AAA Lys | CTC Leu | | 627 |
|------------|-------------------|------------|------------|------------|-------------------|-------------------|------------|------------|------------|------------|-------------------|------------|------------|------------|------------|-----|-----|
| 185 | | | | | 190 | | | | | 195 | | | | | 200 | | |
| | | | | | TCC Ser | | | | | | | | | | | | 675 |
| | | | | | GGG Gly | | | | | | | | | | GTG Val | | 723 |
| | | | | | GCA Ala | | | | | | | | | | | | 771 |
| CCG Pro | TGG Trp 250 | ACG Thr | TTC Phe | GGT Gly | GGA Gly | GGC Gly 255 | ACC Thr | AAG Lys | CTG Leu | GAA Glu | ATC Ile 260 | AAA Lys | CGG Arg | GCT Ala | GAT Asp | ; | 819 |
| | | | | | GGC Gly 270 | | | | | | | | | | | ; | 867 |
| | | | | | AGG Arg | | | | | | | | | | | 9 | 915 |
| | | | | | TTC Phe | | | | | | | | | | CAG Gln | . 9 | 963 |
| | | | | | CTT Leu | | | | | | | | | | | 10 | 011 |
| | | | | | AAT Asn | | | | | | | | | | | 10 | 059 |
| | | | | | AGC Ser 350 | | | | | | | | | | | 13 | 107 |
| | | | | | GTC Val | | | | | | | | | | | 13 | 155 |
| | | | | | TAT Tyr | | | | | | | | | | | 12 | 203 |
| | | | | | ĞCC Ala | | | | | | | | | | | 12 | 251 |

| | | | | | | | CCA Pro | | 1299 |
|----------------|-------|------|----|--|--|--|-------------------|--|------|
| | | | | | | | TAC Tyr | | 1347 |
| | _ | | | | | | ATT Ile | | 1395 |
| | | | | | | | GGC Gly | | 1443 |
| | | | | | | | GCT Ala 485 | | 1491 |
| | | | | | | | TTC Phe | | 1539 |
| | | | | | | | GCA Ala | | 1587 |
| | | | | | | | TCA Ser | | 1635 |
| CAT His | TAAT | CTAG | 3A | | | | | | 1653 |

- (2) INDICATIONS AS TO ID NO: 4:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 539 amino acids
 - (B) KIND: amino acid
 - (D) TOPOLOGY: linear
 - (ii) KIND OF MOLECULE: protein
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 4:

Met Lys Tyr Leu Leu Pro Thr Ala Ala Ala Gly Leu Leu Leu Leu Ala 1 5 10 15

Ala Gl
n Pro Ala Met Ala Gl
n Val Gl
n Leu Gl
n Gl
n Ser Gly Ala Glu 20 2530

Leu Ala Arg Pro Gly Ala Ser Val Lys Met Ser Cys Lys Ala Ser Gly . 35 40 45

Tyr Thr Phe Thr Arg Tyr Thr Met His Trp Val Lys Gln Arg Pro Gly Gln Gly Leu Glu Trp Ile Gly Tyr Ile Asn Pro Ser Arg Gly Tyr Thr Asn Tyr Asn Gln Lys Phe Lys Asp Lys Ala Thr Leu Thr Thr Asp Lys Ser Ser Ser Thr Ala Tyr Met Gln Leu Ser Ser Leu Thr Ser Glu Asp 105 Ser Ala Val Tyr Tyr Cys Ala Arg Tyr Tyr Asp Asp His Tyr Ser Leu Asp Tyr Trp Gly Gln Gly Thr Thr Leu Thr Val Ser Ser Ala Lys Thr Thr Pro Lys Leu Gly Gly Asp Ile Leu Leu Thr Gln Thr Pro Ala Ser Leu Ala Val Ser Leu Gly Gln Arg Ala Thr Ile Ser Cys Lys Ala Ser 170 Gln Ser Val Asp Tyr Asp Gly Asp Ser Tyr Leu Asn Trp Tyr Gln Gln 185 Ile Pro Gly Gln Pro Pro Lys Leu Leu Ile Tyr Asp Ala Ser Asn Leu 200 Val Ser Gly Ile Pro Pro Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Asn Ile His Pro Val Glu Lys Val Asp Ala Ala Thr Tyr His Cys Gln Gln Ser Thr Glu Asp Pro Trp Thr Phe Gly Gly Gly Thr Lys Leu Glu Ile Lys Arg Ala Asp Ala Ala Ala Gly Gly Pro Gly Ser Gln Val Gln Leu Gln Gln Ser Gly Ala Glu Leu Val Arg Pro Gly 280 Ser Ser Val Lys Ile Ser Cys Lys Ala Ser Gly Tyr Ala Phe Ser Ser Tyr Trp Met Asn Trp Val Lys Gln Arg Pro Gly Gln Gly Leu Glu Trp 310 Ile Gly Gln Ile Trp Pro Gly Asp Gly Asp Thr Asn Tyr Asn Gly Lys 330

Phe Lys Gly Lys Ala Thr Leu Thr Ala Asp Glu Ser Ser Ser Thr Ala 340 345 Tyr Met Gln Leu Ser Ser Leu Ala Ser Glu Asp Ser Ala Val Tyr Phe Cys Ala Arg Arg Glu Thr Thr Thr Val Gly Arg Tyr Tyr Ala Met Asp Tyr Trp Gly Gln Gly Thr Ser Val Thr Val Ser Ser Ala Lys Thr Thr Pro Lys Leu Gly Gly Asp Ile Val Leu Thr Gln Ser Pro Ala Ile 410 Met Ser Ala Ser Pro Gly Glu Lys Val Thr Met Thr Cys Ser Ala Ser Ser Ser Val Ser Tyr Met Asn Trp Tyr Gln Gln Lys Ser Gly Thr Ser Pro Lys Arg Trp Ile Tyr Asp Thr Ser Lys Leu Ala Ser Gly Val Pro Ala His Phe Arg Gly Ser Gly Ser Gly Thr Ser Tyr Ser Leu Thr Ile Ser Gly Met Glu Ala Glu Asp Ala Ala Thr Tyr Tyr Cys Gln Gln Trp 490 Ser Ser Asn Pro Phe Thr Phe Gly Ser Gly Thr Lys Leu Glu Ile Asn Arg Ala Asp Thr Ala Pro Thr Gly Ser Glu Gln Lys Leu Ile Ser Glu 520 Glu Asp Leu Asn Ser His His His His His 535

- (2) INDICATIONS AS TO ID NO: 5:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 57 base pairs
 - (B) KIND: nucleotide
 - (C) STRAND TYPE: single strand
 - (D) TOPOLOGY: linear
 - (ii) KIND OF MOLECULE: other nucleic acid
 - (A) DESCRIPTION: /desc = "primer"
 - (iii) HYPOTHETICAL: no
 - (iv) ANTISENSE: no
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 5:

| TATAT | ACTGC AGCTGCACCT GCGACCCTGG GCCACCAGCG GCCGCAGCAT CAGCCCG | 57 |
|-------|---|----|
| (2) | <pre>INDICATIONS AS TO ID NO: 6: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 45 base pairs (B) KIND: nucleotide (C) STRAND TYPE: single strand (D) TOPOLOGY: linear</pre> | |
| | | |
| | <pre>(ii) KIND OF MOLECULE: other nucleic acid (A) DESCRIPTION: /desc = "primer"</pre> | |
| | (iii) HYPOTHETICAL: no | |
| | (iv) ANTISENSE: no | |
| | (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 6: | |
| CCGTG | AATTC CAGGTGCAAC TGCAGCAGTC TGGGGCTGAA CTGGC | 45 |
| | | |
| (2) | INDICATIONS AS TO ID NO: 7: | |
| (-, | (i) SEQUENCE CHARACTERISTICS: | |
| | (A) LENGTH: 34 base pairs | |
| | (B) KIND: nucleotide | |
| | (C) STRAND TYPE: single strand | |
| | (D) TOPOLOGY: linear | |
| | (ii) KIND OF MOLECULE: other nucleic acid | |
| | (A) DESCRIPTION: /desc = "primer" | |
| | (iii) HYPOTHETICAL: no | |
| | (iv) ANTISENSE: no | |
| | (xi) SEQUENCE DESCRIPTION: SEQ ID NO. 7. | |

| (2) | (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 348 base pairs (B) KIND: nucleotide (C) STRAND TYPE: single strand (D) TOPOLOGY: linear (ii) KIND OF MOLECULE: genome DNA (iii) HYPOTHETICAL: no | | | | | | | | | | | | | | | |
|-----|--|------------|-----|-----------|------|-----------|------|------|-----------|-----|-----------|-----|------|------------|------|-----|
| | | | | | | | | geno | ome . | DNA | | | | | | • |
| | | | | | | | no | | | | | | | | | |
| | | | | | ISE: | no | | | | | | | | | - | |
| | (| lx) | | TURE | | | | | | | | | | | | |
| | (A) NAME/KEY: CDS (B) POSITION: 1348 | | | | | | | | | | | | | • | | |
| | (| ix) | | TURE | | | | | | | | | | | | |
| | | | (A) | | ME/ | | | | ptid | .e | | | | | | |
| | | | (B) | PC | DSIT | ION: | 1 | 348 | | | | | | | | |
| | (: | xi) | SEQ | UENC | E DE | SCR: | IPTI | ON: | SEQ | ΙD | NO: | 8: | | | | |
| | | | | | | | | | | | | | | TCC Ser | | 48 |
| 1 | 9 | | 110 | 5 | | | | | 10 | Deu | | | 1114 | 15 | 501 | |
| | | | | | | | | | | | | | | GCA Ala | | 96 |
| Ala | neu | AIG | 20 | FIU | vai | ASII | 1111 | 25 | 1111 | GIU | ASP | GIU | 30 | Ala | GIII | |
| | | | | | | | | | | | | | | GAT Asp | | 144 |
| | | 35 | | | | | 40 | | | | | 45 | | | | |
| | | | | | | | | | | | | | | TTA | | 192 |
| Asp | Va1 50 | Ala | Val | Leu | Pro | Phe 55 | Ser | Asn | Ser | Thr | Asn 60 | Asn | GIY | Leu | Leu | |
| ተተ | ልጥል | таа | AСT | аст | Αጥጥ | GCC | AGC | ውጥ ል | сст | GCT | ааа | CAA | GAA | GGG | GTA | 240 |
| | | | | | | | | | | | | | | Gly | | |
| 65 | | | | | 70 | | | | | 75 | | | | | 80 | |
| | | | | | | | | | | | | | | CTG | | 288 |
| Ser | Leu | Glu | Lys | Arg 85 | Glu | Ala | Glu | Ala | Glu 90 | Phe | Gln | Val | Gln | Leu 95 | GIn | |
| CAG | TCT | GGG | GCT | GAA | CTG | GCA | AGA | ССТ | GGG | GCC | TCA | GTG | AAG | ATG | TCC | 336 |
| | | | | | | | | | | | | | | Met | | |
| | | | 100 | | | | | 103 | | | | | 110. | | | |
| | | GCT | | | | | | | | | | | | | | 348 |
| CYS | כעה | Ala 115 | | | | | | | | | | | | | | |

- 2) INDICATIONS AS TO ID NO: 9:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 116 amino acids
 - (B) KIND: amino acid
 - (D) TOPOLOGY: linear
 - (ii) KIND OF MOLECULE: protein
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 9:

Met Arg Phe Pro Ser Ile Phe Thr Ala Val Leu Phe Ala Ala Ser Ser 1 5 10 15

Ala Leu Ala Ala Pro Val Asn Thr Thr Glu Asp Glu Thr Ala Gln \cdot 20 25 30

Ile Pro Ala Glu Ala Val Ile Gly Tyr Ser Asp Leu Glu Gly Asp Phe 35 40 45

Asp Val Ala Val Leu Pro Phe Ser Asn Ser Thr Asn Asn Gly Leu Leu 50 55 60

Phe Ile Asn Thr Thr Ile Ala Ser Ile Ala Ala Lys Glu Glu Gly Val 65 70 75 80

Ser Leu Glu Lys Arg Glu Ala Glu Ala Glu Phe Gln Val Gln Leu Gln 85 90 95

Gln Ser Gly Ala Glu Leu Ala Arg Pro Gly Ala Ser Val Lys Met Ser 100 105 110

Cys Lys Ala Ser 115

- (2) INDICATIONS AS TO ID NO: 10:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 354 base pairs
 - (B) KIND: nucleotide
 - (C) STRAND TYPE: single strand
 - (D) TOPOLOGY: linear
 - (ii) KIND OF MOLECULE: genome DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTISENSE: no
 - (ix) FEATURE:
 - (A) NAME/KEY: CDS
 - (B) POSITION: 1..354
 - (ix) FEATURE:
 - (A) NAME/KEY: mat_peptide
 - (B) POSITION: 1..354
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 10:

| | | | ATT Ile | | | | | | | 48 |
|------|-------|------------|------------------|--|--|---|---|--|--------------|-----|
| | | | GTC Val | | | | _ | | | 96 |
| | | | GTC Val | | | | | | TTC ~ Phe | 144 |
| | - | | CCA Pro | | | _ | | | | 192 |
| | | | ATT Ile 70 | | | | | | | 240 |
| | | | GAG Glu | | | | | | | 288 |
| | | | GCT Ala | | | | | | | 336 |
| | | GCT Ala | | | | | | | | 354 |

2) INDICATIONS AS TO ID NO:11:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 118 amino acids
 - (B) KIND: amino acid
 - (D) TOPOLOGY: linear
- (ii) KIND OF MOLECULE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 11:

Met Arg Phe Pro Ser Ile Phe Thr Ala Val Leu Phe Ala Ala Ser Ser 1 5 10 15

Ala Leu Ala Ala Pro Val Asn Thr Thr Glu Asp Glu Thr Ala Glu 20 25 30

Ile Pro Ala Glu Ala Val Ile Gly Tyr Ser Asp Leu Glu Gly Asp Phe 35 $$ $$ 45

Asp Val Ala Val Leu Pro Phe Ser Asn Ser Thr Asn Asn Gly Leu Leu 55

Phe Ile Asn Thr Thr Ile Ala Ser Ile Ala Ala Lys Glu Glu Gly Val 70

Ser Leu Glu Lys Arg Glu Ala Glu Ala Glu Phe Met Ala Gln Val Gln

Leu Gln Gln Ser Gly Ala Glu Leu Ala Arg Pro Gly Ala Ser Val Lys 105

Met Ser Cys Lys Ala Ser 115

(2) INDICATIONS AS TO ID NO: 12:

- SEQUENCE CHARACTERISTICS: (i)
 - (A) LENGTH: 42 base pairs
 - KIND: nucleotide
 - (C) STRAND TYPE: single strand
 - TOPOLOGY: linear (D)
- (ii) KIND OF MOLECULE: other nucleic acid
 - DESCRIPTION: /desc = "primer"
- (iii) HYPOTHETICAL: no
- (iv) ANTISENSE: no
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 12:

TCACACAGAA TTCTTAGATC TATTAAAGAG GAGAAATTAA CC

- (2) INDICATIONS AS TO ID NO: 13:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 40 base pairs
 - (B) KIND: nucleotide
 - STRAND TYPE: single strand (C)
 - (D) TOPOLOGY: linear
 - (ii) KIND OF MOLECULE: other nucleic acid
 - DESCRIPTION: /desc = "primer"
 - (iii) HYPOTHETICAL: no
 - (iv) ANTISENSE: no
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 13:

42

| AGO | CACACGAT ATCACCGCCA AGCTTGGGTG TTGTTTTGGC | 40 |
|------|--|----|
| . (2 | INDICATIONS AS TO ID NO: 14: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 43 base pairs (B) KIND: nucleotide (C) STRAND TYPE: single strand (D) TOPOLOGY: linear (ii) KIND OF MOLECULE: other nucleic acid (A) DESCRIPTION: /desc = "primer" (iii) HYPOTHETICAL: no (iv) ANTISENSE: no (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 14 | |
| AGC | CACACAAG CTTGGCGGTG ATATCTTGCT CACCCAAACT CCA | 43 |
| (2) | <pre>INDICATIONS AS TO ID NO: 15: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 57 base pairs (B) KIND: nucleotide (C) STRAND TYPE: single strand (D) TOPOLOGY: linear (ii) KIND OF MOLECULE: other nucleic acid (A) DESCRIPTION: /desc = "primer"</pre> | |
| | (iii) HYPOTHETICAL: no (iv) ANTISENSE: no (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 15 | |
| AGC | CACACTCT AGAGACACAC AGATCTTTAG TGATGGTGAT GGTGATGTGA GTTTAGG | 57 |
| (2) | <pre>INDICATIONS AS TO ID NO: 16: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 33 base pairs (B) KIND: nucleotide (C) STRAND TYPE: single strand (D) TOPOLOGY: linear</pre> | |

| | (ii) KIND OF MOLECULE: other nucleic acid (A) DESCRIPTION: /desc = "primer" (iii) HYPOTHETICAL: no (iv) ANTISENSE: no (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 16: | - |
|-------|---|----|
| | | |
| CAGCC | GGCCA TGGCGCAGGT GCAACTGCAG CAG | 33 |
| (2) | <pre>INDICATIONS AS TO ID NO: 17: (i) SEQUENCE CHARACTERISTICS:</pre> | |
| | | |

60 102

TATATACTGC AGCTGCACCT GGCTACCACC ACCACCGGAG CCGCCACCAC CGCTACCACC

GCCGCCAGAA CCACCACCAC CAGCGGCCGC AGCATCAGCC CG